



Simplex Manufacturing dba Simplex Aerospace
13340 NE Whitaker Way Portland, OR 97230
mail@simplexmf.com www.simplex.aero
Main Phone (503) 257-3511 Fax (503) 257-8556



Simplex Model 5100 Spray System

Airbus 350 B, C, D





Simplex Manufacturing dba Simplex Aerospace
13340 NE Whitaker Way Portland, OR 97230
mail@simplexmfg.com www.simplex.aero
Main Phone (503) 257-3511 Fax (503) 257-8556



Simplex Model 5100 Spray System

Airbus 350 B, C, D





Simplex Manufacturing dba Simplex Aerospace
 13340 NE Whitaker Way Portland, OR 97230
 mail@simplexmfgr.com www.simplex.aero
 Main Phone (503) 257-3511 Fax (503) 257-8556

Simplex Model 5100 ▪ Spray System

Airbus 350 B, C, D

Certifications	
FAA STC #SH1160NW	AS-350B, AS-350-C, AS-350D
Canada TC #SH90-20	AS-350B, AS-350-C, AS-350D
Germany LBA	AS-350B

Features & Benefits	
<p>FAA certified for day VFR operations.</p> <p>Installation/removal in 30 minutes</p> <p>Flow controller allows operator to adjust chemical output.</p>	<p>Mid-ship mounted booms.</p> <p>Aerodynamic design results in low drag.</p> <p>Safety features include emergency jettison dump doors and pump stop controls.</p>

Spray System Details	
Average Tank Weight	250 lb / 113 kg
Capacity	180 gal / 681 L
Boom Span (88%)	31 ft / 9 m
Boom Span (102%)	36 ft / 11 m
Estimated Swath Width	50-70 ft / 15-21 m
Nozzle Ports	60-70 (¼" NPT)
Vne	103 MPH / 89.50 KIAS



Simplex Manufacturing dba Simplex Aerospace
13340 NE Whitaker Way Portland, OR 97230
mail@simplexmfg.com www.simplex.aero
Main Phone (503) 257-3511 Fax (503) 257-8556

Simplex Model 5100 ▪ Spray System

Airbus 350 B, C, D

Installation Requirements	Electrical Requirements
• Approved standard high skid gear	Current: 90 Amps Voltage: 28 VDC

Simplex Sales		
Michael Finnegan Director of Business Development Asia mfinnegan@simplexmfg.com	Casey Zimmerman Director of Product Sales North/South America, Australia, and New Zealand czimmerman@simplexmfg.com	Ian Cockburn Regional Sales Manager Europe, Africa, Russia, and Middle East ian@simplexmfg.com